

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/707,012	11/13/2003	Jen-Yi Hu	10070-US-PA	1011	
31561 75	31561 7590 10/30/2006			EXAMINER	
•	JN INTELLECTUAL	KOVALICK, VINCENT E			
7 FLOOR-1, N ROOSEVELT	ROAD, SECTION 2		ART UNIT	PAPER NUMBER	
TAIPEI, 100			2629	·	
TAIWAN	TAIWAN			DATE MAILED, 10/20/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/707,012	HU ET AL.			
		Examiner	Art Unit			
		Vincent E. Kovalick	2629			
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) 又	Responsive to communication(s) filed on <u>01 Se</u>	eptember 2006.				
·	This action is FINAL . 2b)⊠ This action is non-final.					
′=	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
,—	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
·		e application				
-	 Claim(s) 1-3,5-9 and 11-16 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 					
	5) Claim(s) is/are allowed.					
· —	6)⊠ Claim(s) <u>1-3,5,7-9,11 and 13-16</u> is/are rejected.					
	 Claim(s) 1-3,3,7-9,17 and 13-10 is/are rejected. ✓ Claim(s) 6 and 12 is/are objected to. 					
	B) Claim(s) are subject to restriction and/or election requirement.					
		4				
	on Papers					
•	The specification is objected to by the Examiner					
10) \boxtimes The drawing(s) filed on <u>13 November 2003</u> is/are: a) \boxtimes accepted or b) \square objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
441	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)	11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority u	nder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2)	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) No(s)/Mail Date	4) Interview Summary (Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te			

DETAILED ACTION

Response to Amendment

1. This Office Action is in response to Applicant's Amendment, dated September 1, 2006, in response to USPTO Office Action dated June 9, 2006.

The cancellation of claims 4, 19 17 and the amendments to claims 1, 5-7 and 11-13 have been noted and entered in the record

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1, 7, 13 and 15-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sato (Pub. No. US 2002/0140643) taken with Kunori et al. (USP 6,144,584).

Relative to claims 1, 7 and 13, Sato **teaches** a Display Module (pg. 1, paras. 0015-0017); Sato further **teaches** a structure of reducing source line resistance, suitable for use in a light emitting diode display that comprises a plurality of pixels, each of which comprises a light emitting diode, a source and a source line for providing required power to drive the light emitting diode (pg. 5, paras. 0077-0078); still further Sato **teaches** wherein the source line comprises a major source line to connect with the source and a plurality of branch lines to supply the power to the light emitting diode of each pixel (pg. 7, para. 0115-0117 and Fig. 10).

Art Unit: 2629

Sato does not teach an insulation layer on the source line, the insulation layer having at least two openings exposing two ends of a part of the source line; and at least a conductive layer covering the insulation layer and electrically connected to the source line via the openings, such that the conductive layer and at least the part of the source line are connected in parallel.

Kunori et al. teaches a non-volatile semiconductor memory device (col. 5, lines 30-67 and col. 6, lines 1-34); Kunori et al. further teaches an insulation layer on the source line, the insulation layer having at least two openings exposing two ends of a part of the source line; and at least a conductive layer covering the insulation layer and electrically connected to the source line via the openings, such that the conductive layer and at least the part of the source line are connected in parallel (col. 42, lines 44-53).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to provide to the device as taught by Sato the feature as taught by Kunori et al. in order to put in place the means for reducing source line resistance to provide a stable and uniform driving voltage supplied to each pixel of the LED display.

Regading claim 15, Kunori et al. further **teaches** the feature wherein two neighboring ones of the openings are formed on two ends of a part of the source line (Fig. 51B, items 132).

Relative to claim 16, Sato further **teaches** the step of forming the conductive layer further comprises forming a plurality of conductive segments to fill the openings (Fig. 1, item AD).

It being understood that the conductive layer making contact with the source line SD through the hole is repeated for each of the LEDs.

Art Unit: 2629

4. Claims 2, 8 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sato taken with Kunori et al. as applied to claims 1, 7 and 13 respectively in item 3 hereinabove, and further in view of Lee (USP 6,133,103).

Regarding claims 2, 8 and 14, Sato taken with Kunori et al. **does not teach** the said structure wherein the conductivity of the conductive layer is large than that of the source line.

Lee et al (USP 6,133,103) **teaches** method for fabricating a mask ROM that improves the level of uniformity of cell voltages (pg 3, lines 46-67 and col. 4, lines 1-12); Lee further **teaches** the said structure wherein the conductivity of the conductive layer is large than that of the source line (col. 4, line 67; col. 5, lines 1-8 and Fig. 7A). It being understood that conductive layer having a low resistivity equates to a higher conductivity level.

It would have been obvious to a person of ordinary skill in the art at the time of the invention to provide to the device as taught by Sato taken with Kunori et al. the feature as taught by Lee in order to facilitate maintaining a uniform voltage across the source line.

5. Claims 3 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sato taken with Kunori et al. as applied to claims 1, 7 and 13 respectively in item 3 hereinabove, and further in view of Lai (USP 6,875,645).

Relative to claims 3 and 9, Sato taken with Kunori et al. **does not teach** the said structure wherein the conductive layer comprises a plurality of conductive structures distributed between the pixels.

Lai teaches pixel structure (col. 2, lines 23-67); Lai further teaches the said structure wherein the conductive layer comprises a plurality of conductive structures distributed between the pixels (col. 3, lines 47-67 and col. 4, lines 1-15).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to provide to the device as taught by Sato the feature as taught by Lai in order to put in place the means to distribute the proper driving signals to each of the LEDs in the display system.

6. Claims 5 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sato taken with Kunori et al. as applied to claims 1 and 7 respectively in item 3 hereinabove, and further in view of Zhang (USP 6,219,118).

Relative to claims 5 and 11, Sato taken with Kunori et al. **does not teach** the said structure wherein the conductive layer comprises at least a conductor locate over the major source line. Zhang **teaches** LCD with shield film formed at overlapping portion of bus lines and pixel electrode (col. 2, lines 26-68 and col. 34, lines 1-54); Zhang further **teaches** the said structure wherein the conductive layer comprises at least a conductor locate over the major source line (col. 6, lines 1-6 and 37-41).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to provide to the device as taught by Sato taken with Kunori et al. the feature as taught by Zhang in order to facilitate maintaining a uniform voltage across the source line.

Allowable Subject Matter

7. Claims 6 and 12 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Relative to claims 6 and 12, the major difference between the teachings of the prior art to record

Art Unit: 2629

(Pub. No. US 2002/0140643, Sato and USP 6,144,584, Kunori et al.) and that of the instant invention is that said prior art of record **does not teach** a structure wherein the conductive layer comprises at least a conductor located over the branch lines.

Response to Applicant's Remarks

8. Regarding Applicant's remarks relative to claims 1, 7 and 13, indicating that "Tomisawa fails to teach or suggest the branch lines are for supplying the power to the light emitting diode of each pixel". Sato teaches a major source line to connect with the source and a plurality of branch lines to supply the power to the light emitting diode of each pixel (pg. 7, paras 0115-0117 and Fig. 10).

Applicant argues that dependent claims 2, 3, 8, 9, and 14 are allowable because they are dependent on independent claims 1, 7 and 13; which Applicant argues that all limitation of claims 1 7 and 13 are not taught by Sato taken with Kunori. All limitations of claims 1, 7 and 13 are addressed as taught in the rejection of said claims 1, 7 and 13, as recited in item 3 hereinabove.

Applicant's argument regarding claims 5 and 11 are rendered moot with the introduction of new prior art used in the rejection of said claim 5 and 11.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U. S. Patent No.

6,380,636

Tatsukawa et al

Pub. No.

US 2004/00117162

Sato et al..

Application/Control Number: 10/707,012

Art Unit: 2629

To Respond

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vincent E. Kovalick whose telephone number is 571-272-7669. The examiner can normally be reached on Monday-Thursday 7:30- 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on 571-272-7681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Vincent E. Kovalick October 26, 2006 BIPIN SHALWALA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTED 2000 Page 7